

NAVARA WARRIOR

Conversion by Premcar

SPECIFICATIONS

Cab Type	Dual Cab	Dual Cab
Body Style	Pick Up	Pick Up
Drive Type	4WD	4WD
Grade Level	PRO-4X	SL



PRO-4X & SL WARRIOR enhancements Standard PRO-4X & SL

POWERTRAIN	PRO-4X	SL
YS23DDTT 2.3 litre intercooled twin turbo-diesel, DOHC	•	•
Displacement (cc)	2,298	2,298
Bore x stroke (mm)	85.0 x 101.3	85.0 x 101.3
Maximum power (kW@rpm)	140kW @ 3,750rpm	140kW @ 3,750rpm
Maximum torque (Nm@rpm)	450Nm @ 1,500-2,500	450Nm @ 1,500-2,500
Common rail direct injection	•	•

TRANSMISSION

6-speed manual	•	•
7-speed automatic with manual mode	Opt	Opt
Transfer Case - Dual Range 4x4 with electronic 4WD selection	•	•
Ratio 1st (manual/automatic)	4.685 / 4.887	4.685 / 4.887
Ratio 2nd (manual/automatic)	2.479 / 3.170	2.479 / 3.170
Ratio 3rd (manual/automatic)	1.624 / 2.027	1.624 / 2.027
Ratio 4th (manual/automatic)	1.208 / 1.412	1.208 / 1.412
Ratio 5th (manual/automatic)	1.000 / 1.000	1.000 / 1.000
Ratio 6th (manual/automatic)	0.809 / 0.864	0.809 / 0.864
Ratio 7th (automatic)	0.775	0.775
Reverse gear ratio (manual/automatic)	4.709 / 4.041	4.709 / 4.041
Final drive ratio (manual/automatic)	3.692 / 3.357	3.692 / 3.357
Transfer ratio - low	2.717	2.717
Transfer ratio - high	1.000	1.000

SPECIFICATIONS

DIMENSIONS	PRO-4X	SL
Overall length (mm) (+39mm vs. PRO-4X & +90mm vs. SL)	5,350	5,350
Overall width (excl. side mirrors) (mm) (+45mm vs. PRO-4X & SL)	1,920	1,920
Overall height (mm) (+40mm vs. PRO-4X & SL)	1,895	1,865
Wheelbase (mm)	3,150	3,150
Track front/rear (mm) (+30mm vs. PRO-4X & SL)	1,600 / 1,600	1,600 / 1,600
Ground clearance unladen (mm) (+40mm vs. PRO-4X & SL)	260	260
Overhang - front (mm) (+34mm vs. PRO-4X & SL)	919	919
Overhang - rear (mm) (+15mm vs. PRO-4X & SL)	1,240	1,240
Approach angle (degrees) (+4 degrees vs. PRO-4X & SL)	36.0	36.0
Departure angle (degrees)	19.0	19.0
Ramp breakover angle (degrees) (+3.3 degrees vs. PRO-4X & SL)	26.2	26.2
Wading depth (mm)	600	600
Cargo Bed - length floor (mm)	1,509	1,509
Cargo Bed - length top (mm)	1,469	1,469
Cargo Bed - width floor (mm)	1,560	1,560
Cargo Bed - width top (mm)	1,490	1,490
Cargo Bed - width between wheel arches (mm)	1,134	1,134
Cargo Bed - tailgate opening width (mm)	1,360	1,360
Cargo Bed - height (mm)	519	519

WEIGHTS

Gross Vehicle Mass (GVM**) (kg) (+100kg vs. PRO-4X & SL)	3,250	3,250
Gross Combined Mass (GCM)# (kg)	5,910	5,910
Kerb mass ⁻ manual/automatic (kg)	2,289 / 2,298	2,215 / 2,224
Payload [△] manual/automatic (kg)	961 / 952	1,035 / 1,026
Gross Front Axle (kg)	1,490	1,490
Gross Rear Axle (kg)	1,850	1,850

TOWING CAPACITY⁺

Trailer without brakes (kg)	750	750
Trailer with brakes (kg)	3,500	3,500
Maximum towball download (kg)	350	350

FUEL

Recommended fuel type (minimum)	Diesel	Diesel
Fuel tank capacity (litres)	80	80
Fuel consumption (combined cycle ADR 81/02) (manual/automatic) (L/100km)∞	7.5 / 8.1	7.3 / 7.9
CO2 emissions (manual/automatic) (g/km)∞	197 / 213	192 / 208

MECHANICAL

Red painted suspension springs	•	•
Front brakes - ventilated discs	•	•
Rear brakes - drum	•	•
Front suspension - Independent double-wishbone with front stabiliser bar	•	•
Rear suspension - 5-link with shock absorber	•	•
Power Steering	•	•

WARTER BY PREMCAR

NAVARA WARRIOR

SPECIFICATIONS

WHEELS/TYRES	PRO-4X	SL
17" cast aluminium PRO-4X WARRIOR alloy wheels	•	•
Cooper Discoverer All Terrain Tyres - 275/70/R17	•	•
Full-size spare wheel (alloy)	•	•

INTERIOR

PRO-4X WARRIOR logo headrest embroidery	•	-
Seating capacity	5	5
8-way driver seat with power slide/recline/height adjustment & power lumbar support	•	
6-way driver seat with manual slide/recline/height adjustment		•
Leather-accented [‡] PRO-4X seat trim	•	-
Red interior accents (door, instrument panel, centre console)	•	_
4-way front passenger seat with manual slide & recline	•	•
Heated front seats	•	
Leather-accented [‡] steering wheel	•	_
Leather-accented‡ gear shift lever	•	_
Black interior door handles	•	•
Rear seat headrest	3	3
Vinyl floor coverings - front and rear	-	•
Floor carpet - front and rear	•	-
All weather floor mats - front and rear		•
Carpet floor mats - front and rear	•	_
Flip rear seats	•	•
Front row cup holders (2) & bottle holders (2)	•	•
Second row cup holders in armrest (2)	•	•
Driver & Front Passenger Sun Visors with Illuminated Vanity Mirrors	•	-
Day/night rear view mirrior with electric anti-dazzle	•	-

COMFORT & CONVENIENCE

Cruise control	•	•
Manual tilt adjustable steering column	•	•
Air conditioning	_	•
Air conditioning with dual zone climate control	•	-
Rear air vents in centre console	•	•
Remote keyless entry	_	•
Intelligent Key™ with remote keyless entry	•	-
Push button engine start with illuminated ignition switch	•	-
Power adjustable door mirrors	•	•
Power windows (auto up/down for driver)	•	•
High beam assist (HBA)	•	-
Automatic rain sensing wipers	•	-
Rear window defroster	•	•

SPECIFICATIONS

AUDIO & CONNECTIVITY	PRO-4X	SL
8.0" colour touchscreen with Apple CarPlay® and Android Auto™^	•	•
Speakers	6	6
Steering wheel audio controls	•	•
Bluetooth® handsfree phone system via steering wheel controls	•	•
Bluetooth® audio streaming	•	•
AM/FM radio, AUX & USB connectivity	•	•
1 x USB-A (Console Tray)	•	•
1 x USB-A / 1 x USB-C (Centre Console)	•	•
1 x USB-A (Rear of Centre Console - Charge Only)	•	•
2 x 12V Outlet (Console Tray / Centre Console)	•	•
INSTRUMENTATION		
7.0" instrument cluster display (inc: instant & average fuel economy, distance to empty, average speed)	•	•
Digital speedometer	•	•
SAFETY & SECURITY		
7 Airbags (Front, Side Seat, Curtain, Driver Knee)	•	•
Reversing camera	•	•
Around View® Monitor with Moving Object Detection (MOD)	•	-
Reverse parking sensors	•	-
Intelligent Forward Collision Warning (IFCW)	•	•
Intelligent Emergency Braking (IEB)	•	•
Intelligent Driver Alert (IDA)	•	•
Lane Departure Warning (LDW)	•	-
Intelligent Lane Intervention (ILI)	•	-
Blind Spot Warning (BSW)	•	-
Intelligent Blind Spot Intervention (IBSI)	•	-
Rear Cross Traffic Alert (RCTA)	•	_
Tyre Pressure Monitoring System (TPMS)	•	_
Brake Assist (BA)	•	•
Hill Start Assist (HSA)	•	•
Hill Descent Control (HDC)	•	•
Anti-lock Braking System (ABS) and Electronic Brakeforce Distribution	•	•
Vehicle Dynamic Control (VDC) with Brake Limited Slip Differential (BLSD)	•	•
Traction Control System (TCS)	•	•
Active Brake Limited Slip (ABLS)	•	٠
Drive Mode Selector (Sport/Off-Road/Tow/Normal)	Auto only	-
Off Road Monitor	•	-
Trailer Sway Control	•	•
Rear Differential Lock	•	•
3-point Emergency Locking Retractor (ELR) seatbelts (all seats)	•	•
Second row child anchorage points (3)	•	•
ISOFIX (second row RH/LH)	•	•
LED signature daytime running lights	•	-
Automatic on/off headlights - twilight detection	•	•
LED High Mounted Stop Light	•	•
	· .	

WARTER BY PREMCAR

SPECIFICATIONS

Child Safety Rear Door Locks	•	•
Speed sensing central locking with anti-lock out	•	•
Immobiliser & alarm	•	•

EXTERIOR

Body coloured hoopless bullbar with integrated LED light bar	•	_
Black hooped bullbar with integrated LED light bar	-	•
Black fender flares with bullbar finisher	•	•
Red bash plate - Navara branded	•	-
Black bash plate - Navara branded	_	•
2nd stage underbody protection, 3mm mild steel	•	-
PRO-4X WARRIOR decals	•	_
SL WARRIOR decals	_	•
Towbar fitted (towbar cross member, tongue, harness only)		•
Tubliner	•	•
Tie-down points inside bed (4)	•	•
Black stainless steel double tube sports bar with sail panel fitted	•	-
Halogen headlights & tail lights	-	•
LED headlights & tail lights	•	-
LED front fog lights	•	-
2 channel Utili-Track™ system	•	-
Black side steps	•	-
Black roof rails	•	-
Black plastic door mirrors	-	•
Black painted door mirrors	•	-
Automatic power folding & heated door mirrors & integrated LED indicator lights	•	-
Black plastic rear bumper	-	•
Body coloured rear bumper	•	-
Tailgate assist	•	•
NAVARA tailgate stamping	•	•
Black plastic door handles	-	•
Black painted door handles	•	-
Black plastic V-motion grille		•
Black painted with dark grey surround V-motion grille	•	-
Privacy glass	•	_
Rear power sliding rear window	•	-
UV & heat rejecting windscreen	•	•
Lockable Fuel Filler Door	•	•
Manual lockable rear tailgate (key)	•	•

PAINT

Black Star (G42)	S	S
White Diamond (QX1)***	Р	Р
Stealth Grey (KBY)***	Р	-
Twilight Grey (K21)***	-	Р
Brilliant Silver (K23)***	-	Р

BY PREMCAR

SPECIFICATIONS

WARRANTY

Nissan 5 Year Warranty on base vehicle, Premcar match Nissan's 5 Year Warranty on conversion**	•	•
5 year 24-Hour Roadside Assistance Program"	•	•
Capped Price Service with 12 month/20,000km intervals (whichever comes first) ^M	•	•

- 4** GVM = Gross Vehicle Mass. GVM is the maximum laden mass of a motor vehicle.
 Kerb mass = unladen mass of vehicle with full fuel, excludes tray body for Cab Chassis vehicles.
 A Payload is the GVM minus the Kerb mass. The Kerb mass does not include passengers, luggage, cargo, any accessories fitted or any towball download (as appropriate). Payload is distributed across both the front and rear axles, never exceed the GVM or the axle limits.
 **** Indicates a premium paint, which is available at extra cost.
 © Figures tested for Nissan Navara PRO-4X & SL variants in accordance with ADR81/02 (combined test), for the purposes of comparison amongst vehicles only PRO-4X & SL WARRIORs are fitted with additional enhancements under a second stage manufacturing process, and has not been separately tested. The real world fuel economy and CO2 emissions of the PRO-4X & SL WARRIOR are likely to be higher than the figures shown. Actual fuel consumption and CO2 emissions depends on factors such as traffic conditions, vehicle condition, how you drive and any accessories fitted
 Leather accented features and upholstery may contain synthetic material.
 # Gross Combined Mass with braked trailer.
 CarPlay is a registered trademark of Apple Inc. Android Auto is a trademark of Google LMC. Compatible device and USB connection required.
 Herms and conditions apply, please visit nissan.com.au/roadsideassistance.
 Torms and conditions apply, please visit nissan.com.au/roadsideassistance.
 Towing capacity is subject to towbar/towball capacity and vehicle laden condition. The capacity may be reduced if a non genuine Nissan towbar is fitted. The permitted download is directly related to the laden mass of vehicle. Towbar Assembly Kit Includes towbar cross member, tongue and harness. Tow ball, safety chain and D shackle remain customer cost optional dealer fit accessories.
 M Ask your Nissan Deale